ΙΑΤΡΙΚΟ ΔΙΑΒΑΛΚΑΝΙΚΟ ΘΕΣΣΑΛΟΝΙΚΗΣ

AGENDA

ΗΜΕΡΙΔΑ:

Διαδερμικές θεραπείες παθήσεων κολποκοιλιακών βαλβίδων

Εμπειρία μέσα από πραγματικά περιστατικά



30 Μαΐου 2025

Ξενοδοχείο **September**

Θεσσαλονίκη



THE CLASP IID

Two-year results from the CLASP IID randomized trial: the first head-to-head TEER trial in patients with degenerative MR


At 2-Years the PASCAL system demonstrates sustained safety and effectiveness for prohibitive surgical risk DMR patients:

- Favorable survival
- Significant and sustained MR reduction
- Significant and consistent improvements in functional status and quality-of-life

Study design

The **CLASP IID trial** is the first prospective, multicenter, multinational, randomized controlled pivotal trial comparing two contemporary **TEER therapies** in **prohibitive-surgical-risk** patients with **significant symptomatic 3+ or 4+ DMR**[1].

- 54 sites in U.S., Canada, Europe
- Most users were new to the PASCAL system, all were experienced with MitraClip
- Independent Echocardiographic Core Laboratory, Central Screening Committee, Clinical Events Committee and Data Safety Monitoring Board




PASCAL system is safe and effective with proven clinical results

The CLASP IID trial met its primary safety and effectiveness endpoints with the PASCAL system demonstrating low 30-day MAE rate and significant MR reduction at 6 months[1]. At one year, the PASCAL system demonstrated high survival, significant and sustained MR reduction and improvements in functional and quality-of-life outcomes[1]. Here we report the 2 years outcomes of the CLASP IID trial.

Significant and sustained MR reduction at 2 years

79%

of patients showed sustained MR 0/1+ at 2 years with the PASCAL system



Graph shows unpaired analysis. MR severity assessed by TTE.

MR: mitral regurgitation, TEER: transcatheter edge-to-edge, DMR: degenerative mitral regurgitation, USA: United States of America, LTFU: lost to follow up, TTE: transthoracic echocardiography, MAE: major adverse events.

Edwards



ΗΜΕΡΙΔΑ:

Διαδερμικές θεραπείες παθήσεων κολποκοιλιακών βαλβίδων

Παρασκευή 30 Μαΐου

Διακαθετηριακές Λύσεις στη Μιτροειδή & Τριγλώχινα:
Από τη Διάγνωση στη Θεραπεία

16:30–16:45 Προσέλευση – Εγγραφές

16:45–17:00 1η Ενότητα: Εισαγωγή & Βασικές Αρχές

Χαιρετισμός & Εισαγωγή στη Διαδερμική Αντιμετώπιση των Βαλβιδοπαθειών (3')
Ομιλητής: **Β. Νινιός**

Κριτήρια επιλογής ασθενών για διακαθετηριακή αντιμετώπιση ανεπάρκειας Μιτροειδούς & Τριγλώχινας
Ομιλητής: (12') **Η. Νινιός**

17:00–18:30 2η ενότητα: Μιτροειδής Βαλβίδα

Προεδρείο: **Α. Ζιάκας, Γ. Γιαννακούλας, Γ. Γαμούζης, Σ. Τζήκας**
Σχολιασμός – συζήτηση: **Β. Καμπερίδης, Α.Μαρβάκη, Δ. Κετίκογλου, Β. Σαχπεκίδης, Κ.Γ. Παπαδόπουλος, Α. Μαυρογιάννη**

Περιστατικό 1: (15')	**Α. Ιωαννίδης**
Περιστατικό 2: (15')	**Σ. Ευαγγέλου**
Περιστατικό 3: (15')	**Η. Νινιός**
Περιστατικό 4: (15')	**Γ. Παπαδόπουλος**

Συζήτηση (30')

18:30–19:00 ΔΙΑΛΕΙΜΜΑ

19:00–20:30	**3η Ενότητα: Τριγλώχινα βαλβίδα** Προεδρείο: **Γ. Γιαννακούλας, Γ. Γιαμούζης, Ι. Ζαρίφης, Χ. Παπαδόπουλος** Σχολιασμός–συζήτηση: **Β. Καμπερίδης, Α.Μαρβάκη, Δ. Κετίκογλου, Β. Σαχπεκίδης, Κ.Γ. Παπαδόπουλος, Α. Μαυρογιάννη**	
	Περιστατικό 5: (15')	**Α. Ιωαννίδης**
	Περιστατικό 6: (15')	**Σ. Ευαγγέλου**
	Περιστατικό 7: (15')	**Η. Νινιός**
	Περιστατικό 8: (15')	**Γ. Παπαδόπουλος**
	Συζήτηση (30')	
20:30–21:30	**4η ενότητα: Με το βλέμμα στο μέλλον**	
	Κλινικές μελέτες – καινοτόμοι ορίζοντες. (15')	**Β. Νινιός**
	Συζήτηση κλείσιμο (30')	



ΗΜΕΡΙΔΑ:


Διαδερμικές θεραπείες παθήσεων κολποκοιλιακών βαλβίδων

ΣΗΜΕΙΩΣΕΙΣ

ΕΥΧΑΡΙΣΤΙΕΣ

Abbott

Edwards



Abbott

Navitor™ TAVI System
Navitor™ Vision valve*

BIGGER.
BRIGHTER.
BETTER.



NOW YOU'VE GOT NAVITOR

LEARN MORE AT
MY-CONNEXT.COM

*Labeled as Navitor and Navitor Titan with Vision Technology.

CAUTION: Product intended for use by or under the direction of a physician. Prior to use, reference to the Instructions for Use, inside the product carton (when available) or at www.eifu.abbott for more detailed information on Indications, Contraindications, Warnings, Precautions and Adverse Events.

Information contained herein for DISPLAY in Europe, Middle East, and Africa ONLY. Always check the regulatory status of the device in your region. Illustrations are artist's representations only and should not be considered as engineering drawings or photographs. Photo(s) on file at Abbott.

Navitor™ and Navitor™ Titan Transcatheter Heart Valve. CE marked medical devices. CE 2797. Legal manufacturer: Abbott Medical, 177 County Road B East, St. Paul, Minnesota 55117, USA.

Abbott Vascular International BV
Park Lane, Culliganlaan 2B, 1831 Diegem, Belgium, Tel: 32 2 714 14 11
™ Indicates a trademark of the Abbott group of companies.
www.my-connext.com
© 2024 Abbott. All rights reserved. 9-EH-1-15446-01 08-2024